




# Gable Sauna 2 40 (250x450)



# Gable Sauna 2 40 (250x450)


Foundation



| Impregnated foundation beams |              |   |       |        |
|------------------------------|--------------|---|-------|--------|
| Mark                         | Type         | Profile   | Count | Length |
| IFB1                         | IFB<br>70x40 |  | 4     | 2490   |
| IFB2                         | IFB<br>70x40 |   | 5     | 2335   |
| IFB3                         | IFB<br>70x40 |   | 5     | 1875   |

# Gable Sauna 2 40 (250x450)

Floor Plan




Floor Schedule

| Mark | Type | Profile | Count | Length |
|------|------|---------|-------|--------|
|------|------|---------|-------|--------|



|    |           |  |    |      |
|----|-----------|--|----|------|
| FB | FB 17x114 |  | 39 | 2414 |
|----|-----------|--|----|------|

|     |          |   |   |      |
|-----|----------|---|---|------|
| BB1 | BB 18x40 |  | 6 | 2500 |
| BB2 | BB 18x40 |   | 2 | 2000 |



# Gable Sauna 2 40 (250x450)

Wall 1



| Wall 1 |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|         |        |    |      |
|---------|--------|----|------|
| 1LG-1 * | 40X114 | 1  | 442  |
| 1LG-2 * | 40X114 | 1  | 901  |
| 1LG-3 * | 40X114 | 1  | 1287 |
| 1LG-4 * | 40X114 | 1  | 1817 |
| 1LG-5 * | 40X114 | 1  | 2275 |
| 1LG-6 * | 40X114 | 1  | 2700 |
| 1LG-7   | 40X114 | 19 | 2700 |

\* Gable - delivered premounted

Log Profile Wall 1

Profile

Profile

40X114





2700



# Gable Sauna 2 40 (250x450)

Wall 3



| Wall 3 |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|         |        |    |      |
|---------|--------|----|------|
| 3LG-1 * | 40X114 | 1  | 442  |
| 3LG-2 * | 40X114 | 1  | 901  |
| 3LG-3 * | 40X114 | 1  | 1287 |
| 3LG-4 * | 40X114 | 1  | 1817 |
| 3LG-5 * | 40X114 | 1  | 2275 |
| 3LG-6 * | 40X114 | 1  | 2700 |
| 3LG-7   | 40X114 | 19 | 2700 |


\* Gable - delivered premounted

| Log Profile Wall 3 |         |
|--------------------|---------|
| Profile            | Profile |

|        |  |
|--------|--|
| 40X114 |  |
|--------|--|


# Gable Sauna 2 40 (250x450)

Wall A



| Wall A |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|       |        |    |      |
|-------|--------|----|------|
| ABL-1 | 40x57  | 1  | 4700 |
| ALG-1 | 40x114 | 18 | 4700 |
| ATL-1 | 40x135 | 1  | 4900 |



100  
//

4700

100  
//

## Log Profile Wall A

| Profile | Profile |
|---------|---------|
|---------|---------|

40x57



40x114




40x135




# Gable Sauna 2 40 (250x450)

Wall B



| Wall B |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|       |        |    |      |
|-------|--------|----|------|
| BBL-1 | 40X57  | 1  | 3155 |
| BBL-2 | 40X57  | 1  | 695  |
| BLG-1 | 40X114 | 17 | 300  |
| BLG-2 | 40X114 | 17 | 340  |
| BLG-3 | 40X114 | 17 | 755  |
| BLG-4 | 40X114 | 17 | 695  |
| BLG-5 | 40X114 | 1  | 4700 |
| BTL-1 | 40X135 | 1  | 4900 |





| Log Profile Wall B |         |
|--------------------|---------|
| Profile            | Profile |

|        |  |
|--------|--|
| 40X135 |  |
| 40X114 |  |
| 40X57  |  |

# Gable Sauna 2 40 (250x450)


Roof 1



| Roof |                 |   |       |        |
|------|-----------------|---|-------|--------|
| Mark | Type            | Profile   | Count | Length |
| RB   | 17x114          |  | 88    | 1677   |
| RFB1 | Beam<br>40x143  |  | 1     | 4900   |
| RFB2 | Beam<br>40x143  |  | 1     | 4900   |
| RFR  | Ridge<br>40x143 |  | 1     | 4900   |

# Gable Sauna 2 40 (250x450)


Roof 2



| Fascia Schedule |                             |         |       |        |
|-----------------|-----------------------------|---------|-------|--------|
| Mark            | Type                        | Profile | Count | Length |
| EE              | Eave Edging<br>18x95        |         | 4     | 1717   |
| RF              | Roof Fascia<br>18x120       |         | 4     | 1717   |
| RR1             | Roof reinforcement<br>18x95 |         | 2     | 4900   |
| RR2             | Roof reinforcement<br>38x38 |         | 2     | 4900   |

# Gable Sauna 2 40 (250x450)

Ceiling



Ceiling Schedule


| Mark | Type  | Profile   | Count | Length |
|------|-------|---|-------|--------|
| CB1  | 40x40 |  | 8     | 320    |
| CB2  | 40x40 |   | 4     | 620    |
| CB3  | 40x40 |   | 5     | 2415   |
| SB   | 15x80 |  | 31    | 2400   |

Insulation Schedule

| Mark | Type              | Count | Length |
|------|-------------------|-------|--------|
| I-1  | Insulation<br>486 | 2     | 2400   |
| I-2  | Insulation<br>622 | 2     | 2400   |

# Gable Sauna 2 40 (250x450)

Extras



| Door Schedule |                         |       |        |       |
|---------------|-------------------------|-------|--------|-------|
| Model         | Type                    | Width | Height | Count |
| SD            | Sauna door              | 685   | 1920   | 1     |
| CD6R          | Classic door<br>6 right | 840   | 1955   | 1     |

| Type | Count |
|------|-------|
|------|-------|

|      |   |
|------|---|
| Romb | 2 |
|------|---|




| Fasteners/Extras |      |       |
|------------------|------|-------|
| Name             | Type | Count |

|          |            |     |
|----------|------------|-----|
| Hitblock | 300-400 mm |     |
| Screws   | 5,0 x 70   | 30  |
| Nails    | 1,4 x 40   | 45  |
| Screws   | 6,0 x 140  | 60  |
| Screws   | 4,0 x 40   | 650 |

| Window Schedule |                                     |       |        |       |
|-----------------|-------------------------------------|-------|--------|-------|
| Mark            | Type                                | Width | Height | Count |
| CW4R            | Classic window 4,<br>right tempered | 875   | 1890   | 2     |

- \* Windows intended for tilt opening only!
- \* Fenster zur Eröffnung nur zum Kippen vorgesehen!
- \* Aknad on ette nähtud ainult kaldu avamiseks!



# Gable Sauna 2 40 (250x450)

## List of all items 1

### Impregnated foundation beams

| Mark | Type         | Profile   | Count | Length |
|------|--------------|---|-------|--------|
| IFB1 | IFB<br>70x40 |  | 4     | 2490   |
| IFB2 | IFB<br>70x40 |   | 5     | 2335   |
| IFB3 | IFB<br>70x40 |   | 5     | 1875   |

### Floor Schedule

| Mark | Type      | Profile   | Count | Length |
|------|-----------|---|-------|--------|
| FB   | FB 17x114 |  | 39    | 2414   |

|     |          |   |   |      |
|-----|----------|---|---|------|
| BB1 | BB 18x40 |  | 6 | 2500 |
| BB2 | BB 18x40 |   | 2 | 2000 |

### Roof

| Mark | Type            | Profile   | Count | Length |
|------|-----------------|---|-------|--------|
| RB   | 17x114          |  | 88    | 1677   |
| RFB1 | Beam<br>40x143  |  | 1     | 4900   |
| RFB2 | Beam<br>40x143  |   | 1     | 4900   |
| RFR  | Ridge<br>40x143 |  | 1     | 4900   |

### Fascia Schedule

| Mark | Type                               | Profile   | Count | Length |
|------|------------------------------------|---|-------|--------|
| EE   | Eave<br>Edging<br>18x95            |  | 4     | 1717   |
| RF   | Roof<br>Fascia<br>18x120           |  | 4     | 1717   |
| RR1  | Roof<br>reinforce<br>ment<br>18x95 |  | 2     | 4900   |
| RR2  | Roof<br>reinforce<br>ment<br>38x38 |  | 2     | 4900   |

# Gable Sauna 2 40 (250x450)

## List of all items 2

| Wall 1 |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|         |        |    |      |
|---------|--------|----|------|
| 1LG-1 * | 40X114 | 1  | 442  |
| 1LG-2 * | 40X114 | 1  | 901  |
| 1LG-3 * | 40X114 | 1  | 1287 |
| 1LG-4 * | 40X114 | 1  | 1817 |
| 1LG-5 * | 40X114 | 1  | 2275 |
| 1LG-6 * | 40X114 | 1  | 2700 |
| 1LG-7   | 40X114 | 19 | 2700 |

| Wall 3 |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|         |        |    |      |
|---------|--------|----|------|
| 3LG-1 * | 40X114 | 1  | 442  |
| 3LG-2 * | 40X114 | 1  | 901  |
| 3LG-3 * | 40X114 | 1  | 1287 |
| 3LG-4 * | 40X114 | 1  | 1817 |
| 3LG-5 * | 40X114 | 1  | 2275 |
| 3LG-6 * | 40X114 | 1  | 2700 |
| 3LG-7   | 40X114 | 19 | 2700 |

| Wall A |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|       |        |    |      |
|-------|--------|----|------|
| ABL-1 | 40X57  | 1  | 4700 |
| ALG-1 | 40X114 | 18 | 4700 |
| ATL-1 | 40X135 | 1  | 4900 |

| Wall 2 |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|         |        |    |      |
|---------|--------|----|------|
| 2LG-1 * | 40X114 | 1  | 442  |
| 2LG-2 * | 40X114 | 1  | 901  |
| 2LG-3 * | 40X114 | 1  | 1287 |
| 2LG-4 * | 40X114 | 1  | 1817 |
| 2LG-5 * | 40X114 | 1  | 2275 |
| 2LG-6 * | 40X114 | 1  | 2700 |
| 2LG-7   | 40X114 | 2  | 2700 |
| 2LG-8   | 40X114 | 17 | 1710 |
| 2LG-9   | 40X114 | 17 | 300  |

\* Gable - delivered premounted

| Wall B |         |       |            |
|--------|---------|-------|------------|
| Mark   | Profile | Count | Cut Length |

|       |        |    |      |
|-------|--------|----|------|
| BBL-1 | 40X57  | 1  | 3155 |
| BBL-2 | 40X57  | 1  | 695  |
| BLG-1 | 40X114 | 17 | 300  |
| BLG-2 | 40X114 | 17 | 340  |
| BLG-3 | 40X114 | 17 | 755  |
| BLG-4 | 40X114 | 17 | 695  |
| BLG-5 | 40X114 | 1  | 4700 |
| BTL-1 | 40X135 | 1  | 4900 |

# Gable Sauna 2 40 (250x450)

## List of all items 3



| Insulation Schedule |      |       |        |
|---------------------|------|-------|--------|
| Mark                | Type | Count | Length |

|     |                   |   |      |
|-----|-------------------|---|------|
| I-1 | Insulation<br>486 | 2 | 2400 |
| I-2 | Insulation<br>622 | 2 | 2400 |

| Ceiling Schedule |      |         |       |        |
|------------------|------|---------|-------|--------|
| Mark             | Type | Profile | Count | Length |

|     |       |   |    |      |
|-----|-------|---|----|------|
| CB1 | 40x40 |    | 8  | 320  |
| CB2 | 40x40 |   | 4  | 620  |
| CB3 | 40x40 |   | 5  | 2415 |
| SB  | 15x80 |  | 31 | 2400 |

| Log profiles |         |
|--------------|---------|
| Profile      | Profile |

|        |   |
|--------|---|
| 40x57  |    |
| 40x135 |   |
| 40x114 |  |